



**Brown Sheep  
Company, Inc.**

**PATTERN  
1202**

# Lori Pullover

*Designed exclusively for Brown Sheep Company by Melissa Leapman*

**SKILL LEVEL** ~ Intermediate

## SIZES

Small (medium, large, 1X, 2X). Instructions are given for smallest size, with larger sizes in parentheses. When only one number is given, it applies to all sizes.

## FINISHED MEASUREMENTS

**Bust:** 35 (39, 43, 47, 51)"

**Total length:** 22 (22½, 23, 23, 23½)"



## MATERIALS

- Brown Sheep *Serendipity Tweed*, 60% cotton/40% wool (100g/210 yds per skein): 5 (5, 6, 7, 8) skeins #ST68 Striped Coral Root
- Size 6 (4mm) needle
- Size 7 (4.5mm) needle *or size needed to obtain gauge*
- Cable needle (cn)

## GAUGE

20 sts x 28 rows = 4" in St st with larger needle  
To save time and ensure proper fit, take time to check gauge.

## STITCH GLOSSARY

**Pm:** Place marker.

**Ssp (a left-leaning dec):** Sl 2 sts separately to RH needle as if to k, sl these 2 sts back to LH needle in this twisted position, p2tog through the back loops.

**M1 (Make 1):** Make a backwards loop and place on RH needle.

**2 x 2 Rib** (mult 4 + 2 sts)

**Row 1 (RS):** K2, \*p2, k2; rep from \* across row.

**Row 2:** P2, \*k2, p2; rep from \* across row.

Rep Rows 1-2 for pat.

**Cable Panel** (20 sts)

**Rows 1, 3, 5, 7, and 9 (RS):** P2, k16, p2.

**Row 2 and all WS rows:** K2, p16, k2.

**Row 11:** P2, sl 4 sts to cn and hold in back, k4, k4 from cn; sl 4 sts to cn and hold in front, k4, k4 from cn, p2.

**Row 12:** Rep Row 2.

Rep Rows 1-12 for pat.

### Fully-fashioned Decreases

**RS rows:** K2, ssk, work in established pat to last 4 sts, k2tog, k2.

**WS rows:** P2, p2tog, work in established pat to last 4 sts, ssp, p2.

### Fully-fashioned Increases

**RS rows:** K2, M1, work in established pat to last 2 sts, M1, k2.

## DESIGNER NOTE

Instructions include one selvage st each side; these sts are not reflected in final measurements.



**Brown Sheep Company, Inc. • 100662 County Road 16 • Mitchell, NE 69357  
800-826-9136 • FAX 308-635-2143 • www.brownsheep.com**

## BACK

With smaller needles, cast on 98 (106, 118, 126, 134) sts.

Work even in 2 x 2 Rib until back measures 2½" from beg, inc 14 (16, 14, 14, 18) sts evenly spaced on last WS row—112 (122, 132, 140, 152) sts.

Change to larger needles.

### Set up pat

**Next Row (RS):** K16 (19, 22, 24, 28) sts, pm, \*work Row 1 of Cable Panel over next 20 sts, pm, k10 (12, 14, 16, 18) sts, pm; rep from \* once; work Row 1 of Cable Panel over next 20 sts, pm, k16 (19, 22, 24, 28) sts to end row. Keeping sts between markers in Cable Panel as established and remaining sts in St st, work even until back measures 14" from beg, ending with a WS row.

### Shape armholes

Bind off 5 (7, 8, 9, 10) sts at beg of next 2 rows, then 2 (2, 3, 3, 4) sts at beg of following 2 rows. Work fully-fashioned decreases (see Notes) each end every row 2 (4, 4, 6, 8) times, then every other row 4 (4, 5, 4, 4) times—86 (88, 92, 96, 100) sts. Work even until back measures 20½ (21, 21½, 21½, 22)" from beg, ending with a WS row.

### Shape neck

Work across 24 (25, 27, 29, 31) sts, join second ball of yarn and bind off center 38 sts, work to end of row.

Working on both sides of neck with separate balls of yarn, dec 1 st at each neck edge once—23 (24, 26, 28, 30) sts rem each side.

Work even until back measures approx 21 (21½, 22, 22, 22½)" from beg, ending with a WS row.

### Shape shoulders

Bind off 6 (6, 7, 7, 8) sts at beg of next 6 rows, then 5 (6, 5, 7, 6) sts at beg of following 2 rows.

## FRONT

Work as for back until front measures 16½ (17, 17½, 17½, 18)" from beg, ending with a WS row.

### Shape neck

Work across 35 (36, 38, 40, 42) sts, join second ball of yarn and bind off center 16 sts, work to end of row.

Working on both sides of neck with separate balls of yarn, bind off at each neck edge 4 sts twice, then 2 sts once. Dec 1 st at each neck edge twice—23 (24, 26, 28, 30) sts rem each side.

Work even until front measures same as back to shoulders.

### Shape shoulders

Bind off 6 (6, 7, 7, 8) sts at beg of next 6 rows, then 5 (6, 5, 7, 6) sts at beg of following 2 rows.

## SLEEVES

With smaller needles, cast on 46 (46, 50, 54, 54) sts.

Work even in 2 x 2 Rib until sleeve measures 1" from beg, inc 0 (2, 2, 0, 2) sts evenly spaced on last WS row—46 (48, 52, 54, 56) sts.

Change to larger needles. Working in St st and fully-fashioned increases, inc 1 st each end every other row 0 (3, 7, 9, 13) times, every fourth row 5 (5, 3, 2, 0) times, then every sixth row 1 (0, 0, 0, 0) times—58 (64, 72, 76, 82) sts.

Work even until sleeve measures 5" from beg, ending with a WS row.

### Shape sleeve cap

Bind off 5 (7, 8, 9, 10) sts at beg of next 2 rows, then work fully-fashioned decreases at each end every other row 12 (14, 15, 14, 15) times, then every row 1 (0, 2, 4, 5) times—22 sts rem. Bind off 2 sts at beg of next 4 rows. Bind off remaining 14 sts.

## NECKBAND

Sew left shoulder seam. With RS facing and smaller needles, pick up and knit 114 sts evenly spaced along neckline. Work even in 2 x 2 Rib until band measures 2½" from beg. Bind off in pat.

## ASSEMBLY

Sew right shoulder seam, including side of neckband. Fold neckband in half to WS and *loosely* whipstitch into place. Sew in sleeves. Sew sleeve and side seams. 

